



AQUATHAN®



SIZE	ART. NO.	EAN NO.
6	519-6	7340118359182
7	519-7	7340118359274
8	519-8	7340118359366
9	519-9	7340118359458
10	519-10	7340118359540
11	519-11	7340118359632
12	519-12	7340118359724

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 519

Synthetic leather glove, winter-lined, synthetic leather, polyester, fleece, Cat. II, black, green, reinforced index finger, reinforced fingertips, chrome free, waterproof, elasticated 180°, for fine assembly work

PROPERTIES

High level of protection, good fingertip sensitivity, flexible, good fit

SPECIFICATION

TYPE OF GLOVE All-round work gloves, Assembly gloves, Cold insulation gloves

CATEGORY Cat. II

SIZE RANGE (EU) 6, 7, 8, 9, 10, 11, 12

PALM MATERIAL Synthetic leather

BACK MATERIAL Polyester

LINING Winter-lined

LINING MATERIAL Fleece

DEXTERITY 3

CUFF STYLE Safety cuff

CUFF MATERIAL Textile

FASTENING Elasticated 180°

LENGTH RANGE 235-255 mm

COLOUR Black, Green

PAIRS PER PACKAGE/CARTON 6/60

PIECES PER BOX 0

DISPLAY Hook with hangtag

OUTER MATERIAL SPECIFICATION Polyester, polyurethane, natural latex

MIDDLE MATERIAL SPECIFICATION Polyethylene

INNER MATERIAL SPECIFICATION Polyethylene

TEGERA® 519

FEATURES

Chrome free, reinforced index finger, reinforced fingertips, waterproof

PREVENTS RISK OF

Prevents risk of: abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with moisture

PRIMARY ENVIRONMENTS OF USE

Cold environments, wet environments

PRIMARY AREAS OF USE

Airport work, assembly, building and construction, carpentry, machine driving, transport work, warehouse work, wood industry work

PRIMARY INDUSTRIES OF USE

Pulp and paper, automotive, transportation, building and construction, logistics

TYPE OF WORK

Light weight

 Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
0111X



EN 511:2006
111



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-16


PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 519

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	0	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	1	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN 511:2006 Protective gloves against cold



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
0111X



EN 511:2006
111



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-16

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com