



SIZE	ART. NO.	EAN NO.
5	465-5	7340118339894
6	465-6	7340118324906
7	465-7	7340118324913
8	465-8	7340118324920
9	465-9	7340118324937
10	465-10	7340118324883
11	465-11	7340118324890
12	465-12	7340118340012

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 465

Cut resistant glove, PU, palm-dipped, smooth finish, cut resistance level D, 18 gg, CRF® Technology, polyester, spandex, stainless steel fibre yarn, Cat. II, grey, breathable back, water and oil repellent palm, for fine assembly work

PROPERTIES

High level of protection, good fingertip sensitivity, extra flexible, good grip, breathable

SPECIFICATION

TYPE OF GLOVE Cut resistant gloves

CATEGORY Cat. II

CUT RESISTANCE (EN ISO 13997) Cut resistance level D

CUT RESISTANCE (EN ISO 13997) NEWTON VALUE 17.1

SIZE RANGE (EU) 5, 6, 7, 8, 9, 10, 11, 12

DIPPING Palm-dipped

DIPPING MATERIAL PU

LINING MATERIAL 18 gg, CRF® Technology, Polyester, Spandex, Stainless steel fibre yarn

DEXTERITY 5

GRIP PATTERN Smooth finish

CUFF STYLE Knitwrist cuff

COLOUR Grey

PAIRS PER PACKAGE/CARTON 6/60

PIECES PER BOX 0

OUTER MATERIAL SPECIFICATION Polyurethane

INNER MATERIAL SPECIFICATION HPPE, polyester, elastane, stainless steel fibre yarn

TEGERA® 465

FEATURES

For touchscreen, breathable back, water and oil repellent palm

PREVENTS RISK OF

Cut injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with oil and fat

PRIMARY ENVIRONMENTS OF USE

Cut risk environments, moist environments, dirty environments

PRIMARY AREAS OF USE

Assembly, engineering, metalwork, sheet-metal work, transport work, warehouse work

PRIMARY INDUSTRIES OF USE

Rubber and plastic, glass, bricks, concrete, metal fabrication, machinery and equipment, MRO, automotive, transportation, logistics

TYPE OF WORK

Light weight

2(3)

 Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
4X31D

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-20

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA®

TEGERA® 465

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business
Park, Clonee, Dublin 15, Dublin, Ireland



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
4X31D

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-20

3(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com