

## TEGERA® 296

Leather glove, winter-lined, full grain cowhide, neoprene, polyester, Thinsulate™ 150g, Cat. II, black, white, wind and waterproof back, waterproof, elasticated 360°, for allround work

### PROPERTIES

High level of protection, good fingertip sensitivity, flexible, durable, good grip, perfect fit, extra comfortable, warm

### SPECIFICATION

TYPE OF GLOVE All-round work gloves, Cold insulation gloves

CATEGORY Cat. II

SIZE RANGE (EU) 7, 8, 9, 10, 11, 12

PALM MATERIAL Full grain cowhide

BACK MATERIAL Neoprene, Polyester

LINING Winter-lined

LINING MATERIAL Thinsulate™ 150g

CLO 1,9 m<sup>2</sup>·K/W

DEXTERITY 5

CUFF STYLE Extended knitwrist cuff

CUFF MATERIAL Textile

FASTENING Elasticated 360°

LENGTH RANGE 255-310 mm

COLOUR Black, White

PAIRS PER PACKAGE/CARTON 6/60

PIECES PER BOX 0

DISPLAY Hook with hangtag

OUTER MATERIAL SPECIFICATION Polyester, leather, natural latex

MIDDLE MATERIAL SPECIFICATION Polyethylene

INNER MATERIAL SPECIFICATION Polyester



AQUATHAN®



**Thinsulate**  
INSULATION

SIZE	ART. NO.	EAN NO.
7	296-7	7392626062641
8	296-8	7392626058125
9	296-9	7392626058132
10	296-10	7392626058149
11	296-11	7392626058156
12	296-12	7392626058163

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 296

### FEATURES

Extra long, reinforced fingers and thumb, pre-curved fingers, wind and waterproof back, waterproof

### PREVENTS RISK OF

Abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with moisture, contact with damp, contact with cold

### PRIMARY ENVIRONMENTS OF USE

Windy environments, cold environments, wet environments, harsh environments

### PRIMARY AREAS OF USE

Airport work, building and construction, carpentry, construction, fishing, gardening, hunting, installation work, machine driving, repair work, service work, transport work, warehouse work, wood industry work

### PRIMARY INDUSTRIES OF USE

Automotive, transportation, utilities, building and construction, logistics, service, retail

### TYPE OF WORK

Medium weight

 Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2122X



EN 511:2006  
231



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-17

  
PROTECTING HANDS AND FEET

#### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

[info@ejendals.com](mailto:info@ejendals.com)

[order@ejendals.com](mailto:order@ejendals.com)

[www.ejendals.com](http://www.ejendals.com)

## TEGERA® 296

### EU-TYPE EXAMINATION

0075 CTC, 4 rue Hermann Frenkel, 69367 Lyon Cedex 07  
France

### COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	2	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	2	(4)
d) Puncturing resistance (N)	2	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

### EN 388 – Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

### EN 511:2006 Protective gloves against cold



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2122X



EN 511:2006  
231



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-17

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com