



SIZE	ART. NO.	EAN NO.
7	7361-7	7340118325286
8	7361-8	7340118325309
9	7361-9	7340118325323
10	7361-10	7340118325248
11	7361-11	7340118325262

TEGERA® 7361

Chemical protection glove, fully lined, 0,3* mm (*chem-layer) nitrile, fully dipped, sandy finish, 18 gg, nylon, Cat. III, black, green, withstands contact heat up to 100°C, phthalate-free, latex-free, oil and grease resistant, waterproof, water and oil repellent, for allround work

PROPERTIES

Good fingertip sensitivity, flexible, excellent grip, excellent grip in oily environments

SPECIFICATION

TYPE OF GLOVE Chemical protection gloves, Heat protection gloves

CATEGORY Cat. III

SIZE RANGE (EU) 7, 8, 9, 10, 11

DIPPING Fully dipped

DIPPING MATERIAL Nitrile

THICKNESS 0,3* mm (*chem-layer)

LINING Fully lined

LINING MATERIAL 18 gg, Nylon

DEXTERITY 5

GRIP PATTERN Sandy finish

LENGTH RANGE 340 mm

COLOUR Black, Green

PAIRS PER PACKAGE/CARTON 12/60

PIECES PER BOX 0

DISPLAY Bag with euro slot

1(4)

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 7361

FEATURES

Withstands contact heat up to 100°C, phthalate-free, latex-free, oil and grease resistant

PREVENTS RISK OF

Risk of infection, corrosive injuries, puncturing, contact with chemicals, contact with moisture, contact with damp, contact with oil, contact with oil and fat

PRIMARY ENVIRONMENTS OF USE

Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, oily and greasy environments, dirty environments, harsh environments



PRIMARY AREAS OF USE

Chemical technology work, chemical work, cleaning, decontamination, fishing, laboratory work, marine work, mining, paper industry work, petro-chemical work, repair work, sanitation

PRIMARY INDUSTRIES OF USE

Mining, oil, gas, petrochemical, pulp and paper, chemical, metal fabrication, automotive, service

 0493 Cat. III

EN 420:2003 + A1:2009  EN 388:2016 4121X  EN 407:2004 X1XXXX

 EN ISO 374-1:2016/Type A AJKMNOPT  EN ISO 374-5:2016 VIRUS



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-12


PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 7361

EU-TYPE EXAMINATION

0493 Centexbel, Technologiepark 70, BE-9052 Zwijnaarde (Gent) Belgium

CHEMICAL RESISTANCE

According to EN16523-1:2015. For details, please contact Ejendals.

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	4	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	2	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2000	8000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN 407:2004 Protective gloves against thermal risks (heat and/or fire)



EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com



CE 0493 Cat. III

EN 420:2003 + A1:2009



EN 388:2016 4121X



EN 407:2004 X1XXXX



EN ISO 374-1:2016/Type A AJKMNOPT



EN ISO 374-5:2016



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 7361

Suitable for contact with foodstuffs, except for fatty foods

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and microorganisms – Part 5 Terminology and performance requirements for microorganism risks.

EN ISO 374-1:2016/Type A Protective gloves against dangerous chemicals and microorganisms – Part 1: Terminology and performance requirements for chemical

Test according to EN ISO 374-1:2016

Tested chemical	A	J	K	M	N	O	P	T
Permeation level	2	5	6	2	3	3	6	6
Degradation %	37	17,9	-11,6	38,8	59,5	20,4	1,3	-4,4

Permeation levels are based on breakthrough times as follows

Permeation level	1	2	3	4	5	6
Minimum breakthrough times (min)	10	30	60	120	240	480

Definition of breakthrough time through the glove palm (Lugm/cm²/min)

- A: Methanol (CAS Number 67-56-1)
- J: n-Heptane (CAS number 142-82-5)
- K: Sodium hydroxide 40% (CAS number 1310-73-2)
- M: Nitric acid 65% (CAS number 7697-37-2)
- N: Acetic acid 99% (CAS number 64-19-7)
- O: Ammonium hydroxide 25% (CAS number 1336-21-6)
- P: Hydrogen peroxide 30% (CAS number 7722-84-1)
- T: Formaldehyde 37% (CAS number 50-00-0)

risks.



CE 0493 Cat. III

EN 420:2003
+ A1:2009



EN 388:2016
4121X



EN 407:2004
X1XXXX



EN ISO 374-1:2016/Type A
AJKMNOPT



EN ISO 374-5:2016

VIRUS



NOT FOR
FATTY FOOD

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-12

4(4)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com