



SIZE	ART. NO.	EAN NO.
11	10-11	7392626001091

TEGERA® 10

Leather glove, winter-lined, full grain goatskin, artificial fur, Cat. II, black, white, water repellent leather, for heavy work

PROPERTIES

High level of protection, durable, extra comfortable, warm

SPECIFICATION

TYPE OF GLOVE Cold insulation gloves, Heavy duty gloves

CATEGORY Cat. II

SIZE RANGE (EU) 11

PALM MATERIAL Full grain goatskin

BACK MATERIAL Full grain goatskin

LINING Winter-lined

LINING MATERIAL Artificial fur

DEXTERITY 5

CUFF STYLE Knitwrist cuff

CUFF MATERIAL Textile

LENGTH RANGE 270 mm

COLOUR Black, White

PAIRS PER PACKAGE/CARTON 6/60

PIECES PER BOX 0

DISPLAY Thread

OUTER MATERIAL SPECIFICATION Leather, cotton

INNER MATERIAL SPECIFICATION Polyester

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 10

FEATURES

Water repellent leather

PREVENTS RISK OF

Abrasion injuries, blisters, grazes, scratches, lacerations, contact with damp

PRIMARY ENVIRONMENTS OF USE

Cold environments, moist environments

PRIMARY AREAS OF USE

Construction, fishing, hunting, military work, soil preparation

PRIMARY INDUSTRIES OF USE

Transportation, service

TYPE OF WORK

Heavy weight

2(3)

 Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
2322X



EN 511:2006
32X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-21


PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 10

EU-TYPE EXAMINATION

0493 Centexbel, Technopark 70, BE-9052 Zwijnaarde (Gent) Belgium

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	2	(4)
b) Cut resistance (Index)	3	(5)
c) Tear resistance (N)	2	(4)
d) Puncturing resistance (N)	2	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN 511:2006 Protective gloves against cold



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
2322X



EN 511:2006
32X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-21

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com