



## TEGERA® 484

Heat-resistant glove, nitrile-dots, dots, cotton, Cat. II, red, white, withstands contact heat up to 250°C, approved for handling foodstuffs, extra long, for allround work

### PROPERTIES

Durable, good grip

### SPECIFICATION

TYPE OF GLOVE Heat protection gloves

CATEGORY Cat. II

SIZE RANGE (EU) 10, 11

DIPPING MATERIAL Nitrile-dots

LINING MATERIAL Cotton

DEXTERITY 4

GRIP PATTERN Dots

CUFF STYLE Safety cuff

CUFF MATERIAL Textile

LENGTH RANGE 350 mm

COLOUR Red, White

PAIRS PER PACKAGE/CARTON 6/72

DISPLAY Bulk pack

OUTER MATERIAL SPECIFICATION Cotton, nitrile

1(3)

SIZE	ART. NO.	EAN NO.
10	484-10	7392626005006

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 484

### FEATURES

Withstands contact heat up to 250°C, approved for handling foodstuffs

### PREVENTS RISK OF

Heat injuries

### PRIMARY ENVIRONMENTS OF USE

Warm surfaces, warm environments

### PRIMARY AREAS OF USE

Food handling, foodstuff handling, inspection work, installation work, machine operating

### PRIMARY INDUSTRIES OF USE

Mining, oil, gas, petrochemical, food processing, glass, bricks, concrete, metal fabrication, machinery and equipment, MRO, automotive, building and construction, HoReCa

### TYPE OF WORK

Medium weight

 Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
1232X



EN 407:2004  
X2XXXX



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-18

  
PROTECTING HANDS AND FEET

### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

[info@ejendals.com](mailto:info@ejendals.com)

[order@ejendals.com](mailto:order@ejendals.com)

[www.ejendals.com](http://www.ejendals.com)

# TEGERA® 484

## EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

## COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	1	(4)
b) Cut resistance (Index)	2	(5)
c) Tear resistance (N)	3	(4)
d) Puncturing resistance (N)	2	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

## EN 388 – Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN 407:2004 Protective gloves against thermal risks (heat and/or fire)

Suitable for contact with foodstuffs



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
1232X



EN 407:2004  
X2XXXX



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.