



TEGERA® 7351

Chemical protection glove, 0,3* mm (*chem-layer) nitrile, fully dipped, sandy finish, cotton, interlock, Cat. III, blue, phthalate-free, latex-free, oil and grease resistant, for allround work

PROPERTIES

Durable, good grip, good fit, comfortable

SPECIFICATION

TYPE OF GLOVE Chemical protection gloves

CATEGORY Cat. III

SIZE RANGE (EU) 7, 8, 9, 10, 11, 12

DIPPING Fully dipped

DIPPING MATERIAL Nitrile

THICKNESS 0,3* mm (*chem-layer)

LINING MATERIAL Cotton, Interlock

DEXTERITY 5

GRIP PATTERN Sandy finish

LENGTH RANGE 300 mm

COLOUR Blue

PAIRS PER PACKAGE/CARTON 10/120

PIECES PER BOX 0

AQL 1.5

DISPLAY Bag with euro slot

OUTER MATERIAL SPECIFICATION Nitrile

INNER MATERIAL SPECIFICATION Cotton

SIZE	ART. NO.	EAN NO.
7	7351-7	7340118300221
8	7351-8	7392626061699
9	7351-9	7392626061705
10	7351-10	7392626061712
11	7351-11	7392626061729
12	7351-12	7340118300252

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 7351

FEATURES

Protection against chemicals, approved for handling foodstuffs, phthalate-free, latex-free, oil and grease resistant, water and oil repellent

PREVENTS RISK OF

Heat injuries, contact with moisture, contact with damp, contact with oil and fat, contact with cold

PRIMARY ENVIRONMENTS OF USE

Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, cold environments, wet environments, moist environments, oily and greasy environments, dirty environments, harsh environments

PRIMARY AREAS OF USE

Agricultural work, building and construction, chemical technology work, chemical work, concrete work, construction, fishing, fishing industry work, foodstuff handling, marine work, petro-chemical work, repair work

PRIMARY INDUSTRIES OF USE




Mining, oil, gas, petrochemical, chemical, rubber and plastic

TYPE OF WORK

Medium weight

CE 0161 Cat. III

EN 420:2003 + A1:2009  EN 388:2016 3111X  EN ISO 374-1:2016/Type B JKOPT

 EN ISO 374-5:2016  

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-07-01

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 7351

EU-TYPE EXAMINATION

0161 Aitex, Plaza Emilio Sala, 1, E-03801 ALCOY (Alicante)
Spain

CHEMICAL RESISTANCE

According to EN16523-1:2015. For details, please contact Ejendals.

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	3	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	1	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2000	8000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

Suitable for contact with foodstuffs

EN ISO 374-5:2016 Protective gloves against dangerous

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com




order@ejendals.com

www.ejendals.com



CE 0161 Cat. III

EN 420:2003 + A1:2009  EN 388:2016 3111X  EN ISO 374-1:2016/Type B JKOPT

 EN ISO 374-5:2016  

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 7351

chemicals and microorganisms – Part 5 Terminology and performance requirements for microorganism risks.

EN ISO 374-1:2016/Type B Protective gloves against dangerous chemicals and microorganisms – Part 1: Terminology and performance requirements for chemical

Test according to EN ISO 374-1:2016

Tested chemical	J	K	O	P	T
Permeation level	6	6	2	6	6
Degradation %	1,96	9,16	3,98	10,85	3,01

Permeation levels are based on breakthrough times as follows

Permeation level	1	2	3	4	5	6
Minimum breakthrough times (min)	10	30	60	120	240	480

Definition of breakthrough time through the glove palm (Lugm/cm²/min)

J: n-Heptane (CAS number 142-82-5)

K: Sodium hydroxide 40% (CAS number 1310-73-2)

O: Ammonium hydroxide 25% (CAS number 1336-21-6)




P: Hydrogen peroxide 30% (CAS number 7722-84-1)

T: Formaldehyde 37% (CAS number 50-00-0)
risks.



CE 0161 Cat. III

EN 420:2003 + A1:2009  EN 388:2016 3111X  EN ISO 374-1:2016/Type B JKOPT

 EN ISO 374-5:2016  

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-07-01

4(4)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com