



SIZE	ART. NO.	EAN NO.
7	7792-7	7340118345864
8	7792-8	7340118345956
9	7792-9	7340118346045
10	7792-10	7340118346137
11	7792-11	7340118346229
12	7792-12	7340118346311

## TEGERA® 7792

Leather glove, fully lined, full grain goatskin, spandex, fleece, Cat. II, grey, white, reinforced index finger, reinforced fingertips, winter-lined, elasticated 360°, for allround work

### PROPERTIES

Good fingertip sensitivity, flexible, perfect fit, extra comfortable, warm

### SPECIFICATION

TYPE OF GLOVE All-round work gloves, Cold insulation gloves

CATEGORY Cat. II

SIZE RANGE (EU) 7, 8, 9, 10, 11, 12

COLLECTION Dynamic Strength

PALM MATERIAL Full grain goatskin

BACK MATERIAL Spandex

LINING Fully lined

LINING MATERIAL Fleece

DEXTERITY 5

FASTENING Elasticated 360°

LENGTH RANGE 220-270 mm

COLOUR Grey, White

PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Hangtag with euro slot

OUTER MATERIAL SPECIFICATION Leather, polyester, elastane

INNER MATERIAL SPECIFICATION Polyester

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 7792

### FEATURES

Reinforced index finger, reinforced fingertips

### PREVENTS RISK OF

Prevents risk of, abrasion injuries, blisters, grazes, scratches, lacerations

### PRIMARY ENVIRONMENTS OF USE

Outdoors, all-year use, cold environments

### PRIMARY AREAS OF USE

Building and construction, carpentry, cleaning, construction, forest work, installation work, machine driving, machine operating, repair work, sanitation, service work, transport work, warehouse work, wood industry work

### PRIMARY INDUSTRIES OF USE

Automotive, transportation, utilities, building and construction, logistics, service, retail

### TYPE OF WORK

Medium weight

 Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
3111X



EN 511:2006  
11X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-18

  
PROTECTING HANDS AND FEET

#### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

[info@ejendals.com](mailto:info@ejendals.com)

[order@ejendals.com](mailto:order@ejendals.com)

[www.ejendals.com](http://www.ejendals.com)

## TEGERA® 7792

### EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

### COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	3	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	1	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

### EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2000	8000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

### EN 511:2006 Protective gloves against cold



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
3111X



EN 511:2006  
11X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-18

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com