



TEGERA® 516

Synthetic leather glove, half-lined, synthetic leather, polyester, Cat. II, black, green, knuckle protection, reinforced index finger, reinforced fingertips, reinforced thumb, chrome free, elasticated 360°, for assembly work

PROPERTIES

Good fingertip sensitivity, flexible, durable, good grip, good fit, comfortable

SPECIFICATION

TYPE OF GLOVE All-round work gloves, Assembly gloves

CATEGORY Cat. II

SIZE RANGE (EU) 6, 7, 8, 9, 10, 11, 12

PALM MATERIAL Synthetic leather

BACK MATERIAL Polyester

LINING Half-lined

DEXTERITY 5

FASTENING Elasticated 360°

LENGTH RANGE 210-250 mm

COLOUR Black, Green

PAIRS PER PACKAGE/CARTON 6/60

PIECES PER BOX 0

DISPLAY Hook with hangtag

OUTER MATERIAL SPECIFICATION Polyurethane, polyester, natural latex

INNER MATERIAL SPECIFICATION Polyester

SIZE	ART. NO.	EAN NO.
6	516-6	7340118361826
7	516-7	7340118361918
8	516-8	7340118362007
9	516-9	7340118362090
10	516-10	7340118362182
11	516-11	7340118362274
12	516-12	7340118362366

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 516

FEATURES

Reinforced index finger, reinforced palm, reinforced fingers and thumb

PREVENTS RISK OF

Prevents risk of: abrasion injuries, blisters, grazes, scratches, lacerations

PRIMARY ENVIRONMENTS OF USE

Dry environments, dirty environments

PRIMARY AREAS OF USE

Assembly, building and construction, carpentry, construction

PRIMARY INDUSTRIES OF USE

Transportation, building and construction

TYPE OF WORK

Medium weight

2(3)

CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
0X21A



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-18

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 516

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	0	(4)
b) Cut resistance (Index)	X	(5)
c) Tear resistance (N)	2	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	A	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 – Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
0X21A



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-18

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com