



**Thinsulate**  
INSULATION

SIZE	ART. NO.	EAN NO.
8	206-8	7392626017269
10	206-10	7392626005136
11	206-11	7392626017283

## TEGERA® 206

Leather glove, winter-lined, full grain cowhide, cotton, Thinsulate™ 40g, Cat. II, beige, blue, reinforced index finger, reinforced fingers and thumb, elasticated 180°, for heavy work

**PROPERTIES**  
Durable, warm

### SPECIFICATION

**TYPE OF GLOVE** All-round work gloves, Cold insulation gloves

**CATEGORY** Cat. II

**SIZE RANGE (EU)** 8, 10, 11

**PALM MATERIAL** Full grain cowhide

**BACK MATERIAL** Cotton, Full grain cowhide

**LINING** Winter-lined

**LINING MATERIAL** Thinsulate™ 40g

**CLO** 0,7 m<sup>2</sup>-K/W

**DEXTERITY** 1

**CUFF STYLE** Safety cuff

**CUFF MATERIAL** Textile

**FASTENING** Elasticated 180°

**LENGTH RANGE** 240-280 mm

**COLOUR** Beige, Blue

**PAIRS PER PACKAGE/CARTON** 6/60

**PIECES PER BOX** 0

**DISPLAY** Hook with hangtag

**OUTER MATERIAL SPECIFICATION** Leather, cotton, natural latex

**INNER MATERIAL SPECIFICATION** Polyester

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 206

### FEATURES

Reinforced index finger, reinforced fingers and thumb

### PREVENTS RISK OF

Abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with cold

### PRIMARY ENVIRONMENTS OF USE

Outdoors, cold environments

### PRIMARY AREAS OF USE

Building and construction, carpentry, construction, machine driving, repair work, soil preparation, transport work

### PRIMARY INDUSTRIES OF USE

Mining, transportation, building and construction

### TYPE OF WORK

Heavy weight

 Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
3132X



EN 511:2006  
12X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-17

  
PROTECTING HANDS AND FEET

#### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

# TEGERA® 206

## EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

## COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	3	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	3	(4)
d) Puncturing resistance (N)	2	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

## EN 388 – Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN 511:2006 Protective gloves against cold



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
3132X



EN 511:2006  
12X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-17

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com