



| SIZE | ART. NO. | EAN NO. |
|------|----------|---------------|
| 6 | 520-6 | 7340118361161 |
| 7 | 520-7 | 7340118361253 |
| 8 | 520-8 | 7340118361345 |
| 9 | 520-9 | 7340118361437 |
| 10 | 520-10 | 7340118361529 |
| 11 | 520-11 | 7340118361611 |
| 12 | 520-12 | 7340118361703 |

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 520

Synthetic leather glove, unlined, synthetic leather, polyester, Cat. II, black, green, reinforced index finger, reinforced fingertips, chrome free, for touchscreen, elasticated 180°, for precision work

PROPERTIES

Good fingertip sensitivity, flexible, good grip, good fit, comfortable

SPECIFICATION

TYPE OF GLOVE Assembly gloves

CATEGORY Cat. II

SIZE RANGE (EU) 6, 7, 8, 9, 10, 11, 12

PALM MATERIAL Synthetic leather

BACK MATERIAL Polyester

LINING Unlined

DEXTERITY 5

FASTENING Elasticated 180°

LENGTH RANGE 210-250 mm

COLOUR Black, Green

PAIRS PER PACKAGE/CARTON 6/60

PIECES PER BOX 0

DISPLAY Hook with hangtag

TEGERA® 520

FEATURES

For touchscreen

PREVENTS RISK OF

Prevents risk of, abrasion injuries, blisters, grazes, scratches, lacerations

PRIMARY ENVIRONMENTS OF USE

Dry environments, dirty environments

PRIMARY AREAS OF USE

Airport work, assembly, carpentry, fine assembly, inspection work, installation work, machine driving, warehouse work

PRIMARY INDUSTRIES OF USE

Automotive, transportation, utilities, logistics, HoReCa, service, retail

TYPE OF WORK

Light weight

 Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
0X31A



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-18


PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 520

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

| Property | Level Achieved | (Maximum Performance) |
|--|----------------|-----------------------|
| a) Resistance to abrasion (No. of revolutions) | 0 | (4) |
| b) Cut resistance (Index) | X | (5) |
| c) Tear resistance (N) | 3 | (4) |
| d) Puncturing resistance (N) | 1 | (4) |
| e) Cut resistance, EN ISO 13997 (N) | A | (F) |
| f) Impact protection, EN 13594:2015 | | (P) |

EN 388 – Testing

(specifies the requirements that apply for each safety level).

| Level of protection/Performance level | 1 | 2 | 3 | 4 | 5 |
|--|-----|-----|-------|-------|------|
| a) Resistance to abrasion (No. of revolutions) | 100 | 500 | 2 000 | 8 000 | |
| b) Cut resistance (Index) | 1,2 | 2,5 | 5,0 | 10,0 | 20,0 |
| c) Tear resistance (N) | 10 | 25 | 50 | 75 | |
| d) Puncturing resistance (N) | 20 | 60 | 100 | 150 | |

| Level of protection/Performance level | A | B | C | D | E | F |
|---------------------------------------|---|---|----|----|----|----|
| e) Cut resistance, EN ISO 13997 (N) | 2 | 5 | 10 | 15 | 22 | 30 |

| Level of protection/Performance level | P |
|---------------------------------------|-----------------------|
| f) Impact protection, EN 13594:2015 | Pass (Level 1 ≤ 9 kN) |



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
OX31A



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-18

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com