



SIZE	ART. NO.	EAN NO.
7	849-7	7392626057067
8	849-8	7392626057074
9	849-9	7392626057081
10	849-10	7392626057098
11	849-11	7392626057104
12	849-12	7392626064874

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 849

Disposable glove, 0,19 mm nitrile, non powder, Cat. III, black, approved for handling foodstuffs, extra long, phthalate-free, latex-free, waterproof, for precision work

PROPERTIES

High level of protection, good fingertip sensitivity, flexible, very durable, good grip, good fit

SPECIFICATION

TYPE OF GLOVE Chemical protection gloves, Disposable gloves, Precision work gloves

CATEGORY Cat. III

SIZE RANGE (EU) 7, 8, 9, 10, 11, 12

DIPPING MATERIAL Nitrile

THICKNESS 0,19 mm

INSIDE Non powder

LENGTH RANGE 290 mm

COLOUR Black

PIECES PER PACKAGE/CARTON 50/500

BOXES PER CARTON 10

PIECES PER BOX 50

AQL 1.5

DISPLAY Box

TEGERA® 849

FEATURES

Splash protection against chemicals, high puncture resistance compared to similar gloves, approved for handling foodstuffs, for touchscreen, extra long, phthalate-free, latex-free, waterproof

PREVENTS RISK OF

Risk of infection, corrosive injuries, contact with dirt, contact with chemicals, contact with moisture

PRIMARY ENVIRONMENTS OF USE

Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, disposable use, wet environments, moist environments, oily and greasy environments, dirty environments, harsh environments

PRIMARY AREAS OF USE

Assembly, care work, chemical technology work, chemical work, cleaning, food handling, foodstuff handling, healthcare, hotel- and restaurant work, kitchen work, laboratory work, paint spraying work, painting, petro-chemical work, repair work, security- and police work, service work

PRIMARY INDUSTRIES OF USE




Oil, gas, petrochemical, food processing, chemical, HoReCa, service

TYPE OF WORK

Light weight

 2777 Cat. III

EN 420:2003 + A1:2009  EN ISO 374-1:2016/Type B JKOPT

 EN ISO 374-5:2016 VIRUS  

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-12

2(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 849

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

CHEMICAL RESISTANCE

According to EN16523-1:2015. For details, please contact Ejendals.

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

Suitable for contact with foodstuffs

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and microorganisms – Part 5 Terminology and performance requirements for microorganism risks.

EN ISO 374-1:2016/Type B Protective gloves against dangerous chemicals and microorganisms – Part 1: Terminology and performance requirements for chemical

Test according to EN ISO 374-1:2016

Tested chemical	J	K	O	P	T
Permeation level	3	6	2	3	5
Degradation %	37,3	-12,2	-8,4	-6,6	2,8

Permeation levels are based on breakthrough times as follows

Permeation level	1	2	3	4	5	6
Minimum breakthrough times (min)	10	30	60	120	240	480

Definition of breakthrough time through the glove palm (1ugm/cm²/min)

J: n-Heptane (CAS number 142-82-5)

K: Sodium hydroxide 40% (CAS number 1310-73-2)

O: Ammonium hydroxide 25% (CAS number 1336-21-6)




P: Hydrogen peroxide 30% (CAS number 7722-84-1)

T: Formaldehyde 37% (CAS number 50-00-0) risks.



CE 2777 Cat. III

EN 420:2003 + A1:2009  EN ISO 374-1:2016/Type B JKOPT

 EN ISO 374-5:2016  

VIRUS

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-12

3(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com