

## TEGERA® 951 CHAIN SAW

Chainsaw glove, full grain cowhide of top quality, polyester, Dyneema®, Cat. III, white, yellow, saw protection in the right and left glove, reinforced index finger, reinforced fingertips, hook-and-loop

### PROPERTIES

Highest level of protection, good fingertip sensitivity, flexible, very durable, good grip

### SPECIFICATION

TYPE OF GLOVE Special protection work gloves

CATEGORY Cat. III

SIZE RANGE (EU) 8, 9, 10, 11

PALM MATERIAL Full grain cowhide of top quality

BACK MATERIAL Polyester

LINING MATERIAL Dyneema®

DEXTERITY 5

CUFF MATERIAL Textile

FASTENING Hook-and-loop

LENGTH RANGE 230-265 mm

COLOUR White, Yellow

PAIRS PER PACKAGE/CARTON 1/60

DISPLAY Hangtag with euro slot

OUTER MATERIAL SPECIFICATION Leather, polyester, natural latex

MIDDLE MATERIAL SPECIFICATION Polyester

INNER MATERIAL SPECIFICATION Cotton



SIZE	ART. NO.	EAN NO.
8	951-8	7340118313177
9	951-9	7340118313184
10	951-10	7340118313153
11	951-11	7340118313160

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 951 CHAIN SAW

### FEATURES

Saw protection in the right and left glove, high visibility colour, reinforced index finger, reinforced fingertips, pre-curved fingers

### PREVENTS RISK OF

Abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt

### PRIMARY ENVIRONMENTS OF USE

Harsh environments

### PRIMARY AREAS OF USE

Agricultural work, forest work

### PRIMARY INDUSTRIES OF USE

Agriculture, utilities, building and construction, service


### TYPE OF WORK

Medium weight



**CE** 0404 Cat. III

**UK CA** EN 420:2003 + A1:2009  EN 388:2016+A1:2018 3142X

 EN ISO 11393-4:2019 CLASS1 / TYPE1/ 20m/s Design A



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-05-18

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

# TEGERA® 951 CHAIN SAW

## EU-TYPE EXAMINATION

0404 RISE SMP - Svensk Maskinprovning AB, Ultunaallén 4  
Box 7035, 750 07 Uppsala, Sweden

## COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)		(4)
b) Cut resistance (Index)		(5)
c) Tear resistance (N)		(4)
d) Puncturing resistance (N)		(4)
e) Cut resistance, EN ISO 13997 (N)		(F)
f) Impact protection, EN 13594:2015		(P)

## EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2000	8000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN ISO 11393-4:2019 Hand-held chain saw protective gloves



CE 0404 Cat. III

UK EN 420:2003 + A1:2009  
CA EN 388:2016+A1:2018 3142X

EN ISO 11393-4:2019  
CLASS1 / TYPE1 / 20m/s Design A



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-05-18

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com