



MicroThan®

reddot design award
winner 2007

SIZE	ART. NO.	EAN NO.
5	9195-5	7392626031821
6	9195-6	7392626031838
7	9195-7	7392626031845
8	9195-8	7392626023611
9	9195-9	7392626023628
10	9195-10	7392626023635
11	9195-11	7392626027299

TEGERA® 9195

Synthetic leather glove, unlined, Microthan®, nylon, Cat. II, black, grey, yellow, wrist support, chrome free, hook-and-loop, for fine assembly work

PROPERTIES

Extremely good fingertip sensitivity, extra flexible, durable, excellent grip, perfect fit, extra comfortable, breathable

SPECIFICATION

TYPE OF GLOVE Assembly gloves, Precision work gloves

CATEGORY Cat. II

SIZE RANGE (EU) 5, 6, 7, 8, 9, 10, 11

COLLECTION PRO

PALM MATERIAL Microthan®

BACK MATERIAL Nylon

LINING Unlined

DEXTERITY 5

CUFF STYLE Extended safety cuff

FASTENING Hook-and-loop

LENGTH RANGE 220-265 mm

COLOUR Black, Grey, Yellow

PAIRS PER PACKAGE/CARTON 6/60

PIECES PER BOX 0

DISPLAY Hook with hangtag

OUTER MATERIAL SPECIFICATION Polyurethane, nylon

1(3)

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 9195

FEATURES

Wrist-supporting, extra long, chrome free, reinforced index finger, reinforced seams, pre-curved fingers, specially designed thumb, ergonomically shaped, reflector, specially designed details, elastic

PREVENTS RISK OF

Chrome allergy, wrist injuries, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt

PRIMARY ENVIRONMENTS OF USE

Dark environments, dry environments, dirty environments

PRIMARY AREAS OF USE

Assembly, electrical installation, engineering, fine assembly, HVAC installation, installation work, machine driving, machine operating, shop work, transport work, warehouse work

PRIMARY INDUSTRIES OF USE

Automotive, logistics, retail

TYPE OF WORK

Light weight

 Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
1121X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-16


PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 9195

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	1	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	2	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 – Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
1121X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-16

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com