



SIZE	ART. NO.	EAN NO.
6	577-6	7340118373423
7	577-7	7340118373515
8	577-8	7340118373607
9	577-9	7340118373690
10	577-10	7340118373782
11	577-11	7340118373874
12	577-12	7340118373966

TEGERA® 577

Cut resistant glove, fully lined, synthetic leather, structured, polyester, cut resistance level C, HPPE, stainless steel fibre yarn, Cat. II, black, grey, chrome free, for touchscreen, waterproof, fibreglass-free, hook-and-loop, for allround work

PROPERTIES

Good fingertip sensitivity, extra flexible, good grip, perfect fit, warm

SPECIFICATION

TYPE OF GLOVE All-round work gloves, Cold insulation gloves

CATEGORY Cat. II

CUT RESISTANCE (EN ISO 13997) Cut resistance level C

CUT RESISTANCE (EN ISO 13997) NEWTON VALUE 15.7

SIZE RANGE (EU) 6, 7, 8, 9, 10, 11, 12

PALM MATERIAL Synthetic leather

BACK MATERIAL Polyester

LINING Fully lined

LINING MATERIAL HPPE, Polyester, Stainless steel fibre yarn

DEXTERITY 5

GRIP PATTERN Structured

FASTENING Hook-and-loop

COLOUR Black, Grey

PAIRS PER PACKAGE/CARTON 6/72

PAIRS PER HANGTAG 1

DISPLAY Hook with hangtag

OUTER MATERIAL SPECIFICATION Polyurethane, polyester, natural latex

MIDDLE MATERIAL SPECIFICATION Polyurethane, HPPE

INNER MATERIAL SPECIFICATION Polyester

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 577

FEATURES

For touchscreen, chrome free, reinforced index finger, reinforced fingertips, waterproof

PREVENTS RISK OF

Prevents risk of: chrome allergy, cut injuries, abrasion injuries, blisters, grazes, scratches, lacerations, contact with moisture, contact with cold

PRIMARY ENVIRONMENTS OF USE

Cold environments, wet environments, harsh environments

PRIMARY AREAS OF USE

Building and construction, sanitation, warehouse work

PRIMARY INDUSTRIES OF USE

Oil, gas, petrochemical, pulp and paper, building and construction



TYPE OF WORK

Medium weight

2(3)

 Cat. II

  EN ISO 21420:2020  EN 388:2016+A1:2018
2X22C

 EN 511:2006
111 

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-09-22


PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 577

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

COMPLIANCE DESCRIPTION

ANSI/ISEA 105-2016 Cut resistance according to the American National Standard Institute 105-2016. Levels A1-A9

EN 388:2016+A1:2018 Protective gloves against mechanical risks

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EN 511:2006 Protective gloves against cold

EU 2016/425



CE Cat. II



EN ISO 21420:2020



EN 388:2016+A1:2018
2X22C



EN 511:2006
111



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-09-22

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com