

TEGERA® 518

Synthetic leather glove, winter-lined, synthetic leather, polyester, fleece, Cat. II, black, green, chrome free, waterproof, elasticated 180°, for precision work

PROPERTIES

Extremely good fingertip sensitivity, extra flexible, durable, perfect fit, extra comfortable

SPECIFICATION

TYPE OF GLOVE All-round work gloves, Assembly gloves, Cold insulation gloves

CATEGORY Cat. II

SIZE RANGE (EU) 6, 7, 8, 9, 10, 11, 12

PALM MATERIAL Synthetic leather

BACK MATERIAL Polyester

LINING Winter-lined

LINING MATERIAL Fleece

DEXTERITY 4

FASTENING Elasticated 180°

LENGTH RANGE 235-255 mm

COLOUR Black, Green

PAIRS PER PACKAGE/CARTON 6/60

PIECES PER BOX 0

DISPLAY Hangtag with euro slot

OUTER MATERIAL SPECIFICATION Polyurethane, polyester, natural latex

MIDDLE MATERIAL SPECIFICATION Polyethylene

INNER MATERIAL SPECIFICATION Polyester



AQUATHAN®



SIZE	ART. NO.	EAN NO.
6	518-6	7340118358529
7	518-7	7340118358611
8	518-8	7340118358703
9	518-9	7340118358796
10	518-10	7340118358888
11	518-11	7340118358970
12	518-12	7340118359069

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 518

FEATURES

Chrome free, reinforced index finger, reinforced fingertips, short model, waterproof

PREVENTS RISK OF

Prevents risk of: chrome allergy, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with moisture

PRIMARY ENVIRONMENTS OF USE

Cold environments, wet environments, moist environments

PRIMARY AREAS OF USE

Assembly, building and construction, carpentry, construction, machine driving, transport work

PRIMARY INDUSTRIES OF USE

Pulp and paper, automotive, transportation, utilities, building and construction, logistics

TYPE OF WORK

Light weight

 Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
0111X



EN 511:2006
111



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-16


PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 518

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	0	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	1	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 – Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN 511:2006 Protective gloves against cold



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
0111X



EN 511:2006
111



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-16

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com