



SIZE	ART. NO.	EAN NO.
6	873-6	7340118316758
7	873-7	7392626054769
8	873-8	7392626054776
9	873-9	7392626054783
10	873-10	7392626054790
11	873-11	7392626054806

## TEGERA® 873

Synthetic glove, nitrile foam, palm-dipped, foam grip pattern, 15 gg, Lycra®, nylon, Cat. II, black, grey, approved for handling foodstuffs, not for fatty food, oil and grease resistant palm, for fine assembly work

### PROPERTIES

Good fingertip sensitivity, durable, good fit, comfortable, breathable, light

### SPECIFICATION

TYPE OF GLOVE Assembly gloves

CATEGORY Cat. II

SIZE RANGE (EU) 6, 7, 8, 9, 10, 11

DIPPING Palm-dipped

DIPPING MATERIAL Nitrile foam

LINING MATERIAL 15 gg, Lycra®, Nylon

DEXTERITY 5

GRIP PATTERN Foam grip pattern

CUFF STYLE Knitwrist cuff

CUFF MATERIAL Textile

LENGTH RANGE 220-260 mm

COLOUR Black, Grey

PAIRS PER PACKAGE/CARTON 12/120

PIECES PER BOX 0

DISPLAY Bulk pack

OUTER MATERIAL SPECIFICATION Nitrile

INNER MATERIAL SPECIFICATION Nylon, elastane

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 873

### FEATURES

Approved for handling foodstuffs, oil and grease resistant palm

### PREVENTS RISK OF

Grazes, scratches, lacerations

### PRIMARY ENVIRONMENTS OF USE

Oily and greasy environments, dirty environments

### PRIMARY AREAS OF USE

Assembly, construction, fine assembly, inspection work, installation work, machine driving, machine operating, painting, warehouse work

### PRIMARY INDUSTRIES OF USE

Machinery and equipment, MRO, automotive

### TYPE OF WORK

Light weight

 Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
4132X



NOT FOR  
FATTY FOOD



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-09-13

  
PROTECTING HANDS AND FEET

### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

# TEGERA® 873

## EU-TYPE EXAMINATION

0075 CTC, 4 rue Hermann Frenkel, 69367 Lyon Cedex 07  
France

## COMPLIANCE DESCRIPTION

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	4	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	3	(4)
d) Puncturing resistance (N)	2	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

## EN 388 – Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2000	8000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
4132X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-09-13

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com