



MicroThan® IMPACTOTHAN®

SIZE	ART. NO.	EAN NO.
7	9185-7	7392626033559
8	9185-8	7392626033566
9	9185-9	7392626033573
10	9185-10	7392626033580
11	9185-11	7392626033597

TEGERA® 9185

Impact-reducing glove, Microthan®, Impactothan®, polyester, Cat. II, black, grey, yellow, reinforced fingertips, chrome free, hook-and-loop, for fine assembly work

PROPERTIES

Extremely good fingertip sensitivity, flexible, excellent grip, perfect fit, extra comfortable

SPECIFICATION

TYPE OF GLOVE Impact-reducing gloves

CATEGORY Cat. II

PRODUCTGLOVEIMPACTPROTECTIONEN135942015 P

SIZE RANGE (EU) 7, 8, 9, 10, 11

COLLECTION PRO

PALM MATERIAL Microthan®, Impactothan®

BACK MATERIAL Polyester

DEXTERITY 5

FASTENING Hook-and-loop

LENGTH RANGE 207-247 mm

COLOUR Black, Grey, Yellow

PAIRS PER PACKAGE/CARTON 6/60

PIECES PER BOX 0

DISPLAY Hook with hangtag

OUTER MATERIAL SPECIFICATION Polyurethane, polyester, natural latex, nylon

1(3)

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 9185

FEATURES

Impact-reducing, reinforced seams, reinforced fingertips, padded palm, pre-curved fingers, specially designed thumb, short model, ergonomically shaped, specially designed details

PREVENTS RISK OF

Prevents risk of: chrome allergy, blisters, grazes, scratches, lacerations, contact with dirt, drying out

PRIMARY ENVIRONMENTS OF USE

Harsh environments

PRIMARY INDUSTRIES OF USE

Machinery and equipment, MRO, automotive

TYPE OF WORK

Light weight

2(3)

 Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
0021XP



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-16

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 9185

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	0	(4)
b) Cut resistance (Index)	0	(5)
c) Tear resistance (N)	2	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015	P	(P)

EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
0021XP



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-16

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com