



SIZE	ART. NO.	EAN NO.
8	7350-8	7392626013025
9	7350-9	7392626059528
10	7350-10	7392626013032
11	7350-11	7392626035560

TEGERA® 7350

Chemical protection glove, winter-lined, 0,3* mm (*chem-layer) nitrile, sandy finish, fleece, Cat. III, blue, phthalate-free, latex-free, oil and grease resistant, waterproof, for allround work

PROPERTIES

High level of protection, durable, good grip, good fit, warm

SPECIFICATION

TYPE OF GLOVE Chemical protection gloves, Cold insulation gloves

CATEGORY Cat. III

SIZE RANGE (EU) 8, 9, 10, 11

DIPPING MATERIAL Nitrile

THICKNESS 0,3* mm (*chem-layer)

LINING Winter-lined

LINING MATERIAL Fleece

DEXTERITY 5

GRIP PATTERN Sandy finish

LENGTH RANGE 300 mm

COLOUR Blue

PAIRS PER PACKAGE/CARTON 5/60

PIECES PER BOX 0

AQL 1.5

DISPLAY Bag with euro slot

OUTER MATERIAL SPECIFICATION Nitrile

MIDDLE MATERIAL SPECIFICATION Cotton

INNER MATERIAL SPECIFICATION Acrylic

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 7350

FEATURES

Protection against chemicals, approved for handling foodstuffs, phthalate-free, latex-free, oil and grease resistant

PREVENTS RISK OF

Heat injuries, corrosive injuries, contact with dirt, contact with chemicals, contact with oil and fat, contact with cold

PRIMARY ENVIRONMENTS OF USE

Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, cold environments, wet environments, moist environments, oily and greasy environments, dirty environments

PRIMARY AREAS OF USE

Chemical technology work, chemical work, concrete work, construction, food handling, marine work, painting, paper industry work, petro-chemical work

PRIMARY INDUSTRIES OF USE




Oil, gas, petrochemical, chemical

TYPE OF WORK

Medium weight

CE 0161 Cat. III

EN 420:2003 + A1:2009  EN 388:2016 3121X  EN ISO 374-1:2016/Type B JKOPT

 EN ISO 374-5:2016  

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-12

2(4)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 7350

EU-TYPE EXAMINATION

0161 Aitex, Plaza Emilio Sala, 1, E-03801 ALCOY (Alicante)
Spain

CHEMICAL RESISTANCE

According to EN16523-1:2015. For details, please contact Ejendals.

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	3	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	2	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2000	8000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and microorganisms – Part 5 Terminology and performance requirements for microorganism risks.

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com




order@ejendals.com

www.ejendals.com



CE 0161 Cat. III

EN 420:2003 + A1:2009  EN 388:2016 3121X  EN ISO 374-1:2016/Type B JKOPT

 EN ISO 374-5:2016  

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 7350

EN ISO 374-1:2016/Type B Protective gloves against dangerous chemicals and microorganisms – Part 1: Terminology and performance requirements for chemical

Test according to EN ISO 374-1:2016

Tested chemical	J	K	O	P	T
Permeation level	6	6	2	6	6
Degradation %	1,96	9,16	3,98	10,85	3,01

Permeation levels are based on breakthrough times as follows

Permeation level	1	2	3	4	5	6
Minimum breakthrough times (min)	10	30	60	120	240	480

Definition of breakthrough time through the glove palm (1ugm/cm²/min)

J: n-Heptane (CAS number 142-82-5)

K: Sodium hydroxide 40% (CAS number 1310-73-2)

O: Ammonium hydroxide 25% (CAS number 1336-21-6)

P: Hydrogen peroxide 30% (CAS number 7722-84-1)

T: Formaldehyde 37% (CAS number 50-00-0) risks.



CE 0161 Cat. III

EN 420:2003
+ A1:2009



EN 388:2016
3121X



EN ISO 374-1:2016/Type B
JKOPT



EN ISO 374-5:2016



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-12

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com