



HRF[®]

SIZE	ART. NO.	EAN NO.
7	666-7	7392626074101
8	666-8	7392626074125
9	666-9	7392626074149
10	666-10	7392626074064
11	666-11	7392626074088

TEGERA[®] 666

Cut resistant glove, neoprene, palm-dipped, foam grip pattern, cut resistance level C, 13 gg, glass fibre thread, KEVLAR[®] fiber, Cat. II, black, green, withstands contact heat up to 100°C, water and oil repellent palm, for fine assembly work

PROPERTIES

High level of protection, good fingertip sensitivity, flexible, very durable, good grip, good fit, comfortable, breathable, light

SPECIFICATION

TYPE OF GLOVE Cut resistant gloves, Heat protection gloves

CATEGORY Cat. II

CUT RESISTANCE (EN ISO 13997) Cut resistance level C

CUT RESISTANCE (EN ISO 13997) NEWTON VALUE 11.2

SIZE RANGE (EU) 7, 8, 9, 10, 11

DIPPING Palm-dipped

DIPPING MATERIAL Neoprene

LINING MATERIAL 13 gg, Glass fibre thread, KEVLAR[®] fiber

DEXTERITY 5

GRIP PATTERN Foam grip pattern

CUFF STYLE Knitwrist cuff

LENGTH RANGE 220-260 mm

COLOUR Black, Green

PAIRS PER PACKAGE/CARTON 12/120

PIECES PER BOX 0

DISPLAY Bag with euro slot

OUTER MATERIAL SPECIFICATION Chloroprene

INNER MATERIAL SPECIFICATION Para-aramid, glass fibre thread

1(3)

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 666

FEATURES

Withstands contact heat up to 100°C, breathable back, water and oil repellent palm

PREVENTS RISK OF

Burn injuries, heat injuries, cut injuries, grazes, scratches, lacerations, contact with dirt, contact with moisture, contact with damp, contact with oil, antistatic

PRIMARY ENVIRONMENTS OF USE

Cut risk environments, slippery environments, warm environments, moist environments, oily and greasy environments, dirty environments

PRIMARY AREAS OF USE

Construction, glass industry work, hot work, machine operating, metalwork, sheet-metal work

PRIMARY INDUSTRIES OF USE

Mining, glass, bricks, concrete, metal fabrication, machinery and equipment, MRO, automotive, building and construction

TYPE OF WORK

Medium weight

 Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
2X42C



EN 407:2004
41310X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-20


PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 666

EU-TYPE EXAMINATION

0075 CTC, 4 rue Hermann Frenkel, 69367 Lyon Cedex 07
France

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	2	(4)
b) Cut resistance (Index)	X	(5)
c) Tear resistance (N)	4	(4)
d) Puncturing resistance (N)	2	(4)
e) Cut resistance, EN ISO 13997 (N)	C	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 – Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN 407:2004 Protective gloves against thermal risks (heat and/or fire)



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
2X42C



EN 407:2004
41310X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-20

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com