



AQUATHAN®



Thinsulate  
INSULATION

SIZE	ART. NO.	EAN NO.
8	595-8	7340118313122
9	595-9	7340118301730
10	595-10	7392626076037
11	595-11	7340118301679
12	595-12	7340118301693

## TEGERA® 595

Leather glove, winter-lined, full grain cowhide of top quality, Thinsulate™ 200g, Cat. II, black, white, reinforced fingers and thumb, waterproof, string lock, for allround work

### PROPERTIES

Good fingertip sensitivity, flexible, durable, good grip, perfect fit, extra comfortable, extremely warm

### SPECIFICATION

TYPE OF GLOVE Cold insulation gloves, Heavy duty gloves

CATEGORY Cat. II

SIZE RANGE (EU) 8, 9, 10, 11, 12

PALM MATERIAL Full grain cowhide of top quality

BACK MATERIAL Full grain cowhide of top quality

LINING Winter-lined

LINING MATERIAL Thinsulate™ 200g

CLO 3,3 m<sup>2</sup>·K/W

DEXTERITY 2

CUFF STYLE Extended safety cuff

CUFF MATERIAL Textile

FASTENING String lock

LENGTH RANGE 342-396 mm

COLOUR Black, White

PAIRS PER PACKAGE/CARTON 3/30

PIECES PER BOX 0

DISPLAY Hook with hangtag

OUTER MATERIAL SPECIFICATION Leather, polyester, natural latex

MIDDLE MATERIAL SPECIFICATION Polyethylene

INNER MATERIAL SPECIFICATION Polyester

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 595

### FEATURES

Extra long, reinforced fingers and thumb, waterproof

### PREVENTS RISK OF

Abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with moisture, contact with damp, contact with cold

### PRIMARY ENVIRONMENTS OF USE

Outdoors, cold environments, wet environments, moist environments, harsh environments

### PRIMARY AREAS OF USE

Fishing, hunting, marine work, military work, repair work

### PRIMARY INDUSTRIES OF USE

Transportation, building and construction

### TYPE OF WORK

Medium weight

2(3)

 Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
3232X



EN 511:2006  
331

EN 511 cl. 5.2

Flexibility behavior (-20°C): Pass

EN 511 cl. 5.4

Extreme cold flexibility (-50°C): Pass



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-20

  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

## TEGERA® 595

### EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

### COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	3	(4)
b) Cut resistance (Index)	2	(5)
c) Tear resistance (N)	3	(4)
d) Puncturing resistance (N)	2	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

### EN 388 – Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

### EN 511:2006 Protective gloves against cold



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
3232X



EN 511:2006  
331

EN 511 cl. 5.2

Flexibility behavior (-20°C): Pass

EN 511 cl. 5.4

Extreme cold flexibility (-50°C): Pass



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-20

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com