



MicroThan<sup>+</sup>

VIBROTHAN<sup>®</sup>



SIZE	ART. NO.	EAN NO.
9	9183-9	7340118321295
10	9183-10	7340118321219
11	9183-11	7340118321233
12	9183-12	7340118321257
13	9183-13	7340118321271

## TEGERA<sup>®</sup> 9183

Anti-vibration glove, unlined, Microthan<sup>®</sup>+, Vibrothan<sup>®</sup>, polyester, Cat. II, black, yellow, wrist support, reinforced fingertips, windproof back, extra dense against dirt and particles, hook-and-loop, for heavy work

### PROPERTIES

Flexible, durable, good grip, good fit

### SPECIFICATION

TYPE OF GLOVE Anti-vibration gloves

CATEGORY Cat. II

SIZE RANGE (EU) 9, 10, 11, 12, 13

COLLECTION PRO

PALM MATERIAL Microthan<sup>®</sup>+, Vibrothan<sup>®</sup>

BACK MATERIAL Polyester

LINING Unlined

DEXTERITY 5

CUFF STYLE Wrist-supporting cuff

FASTENING Hook-and-loop

COLOUR Black, Yellow

PAIRS PER PACKAGE/CARTON 6/60

PIECES PER BOX 0

DISPLAY Hook with hangtag

OUTER MATERIAL SPECIFICATION Polyurethane, polyester, nylon

1(3)

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 9183

### FEATURES

Wrist-supporting, vibration-reducing according to EN ISO 10819, for touchscreen, chrome free, reinforced seams, reinforced fingertips, pre-curved fingers, extra dense against dirt and particles, windproof back, ergonomically shaped

### PREVENTS RISK OF

Vibration injuries, wrist injuries, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt

### PRIMARY ENVIRONMENTS OF USE

Harsh environments

### PRIMARY INDUSTRIES OF USE

Mining, machinery and equipment, MRO, automotive, building and construction

### TYPE OF WORK

Heavy weight

2(3)

 Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2111X

EN ISO 10819:2013



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-16

**ejendals**  
PROTECTING HANDS AND FEET

#### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

[info@ejendals.com](mailto:info@ejendals.com)

[order@ejendals.com](mailto:order@ejendals.com)

[www.ejendals.com](http://www.ejendals.com)

## TEGERA® 9183

### EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

### COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	2	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	1	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

### EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN ISO 10819:2013 Mechanical vibration and shock. Hand-arm vibration. Measurement and evaluation of the vibration transmissibility of gloves at the palm of the hand



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2111X

EN ISO 10819:2013



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-16

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com